


LITERATURE CITED

- ARNETT, R. H., JR. 1961. Staphylinidae *In* The beetles of the United States (A manual for identification) part II, fasc. 15:233-310. Catholic University Press, Washington, D.C.
- BLACKWELDER, R. E. 1943. Monograph of the West Indian beetles of the family Staphylinidae. Bull. U.S. Nat. Mus. 182:1-658.
- BLATCHLEY, W. S. 1910. The Coleoptera or beetles (exclusive of the Rhynchophora) known to occur in Indiana with bibliography and description of new species. Indiana Dept. Geol. & Nat. Res., Bull. 1:1-1386.
- BRADLEY, J. C. 1930. A manual of the genera of beetles of America North of Mexico. 360 p. Ithaca, N.Y.
- CHAPIN, E. A. 1928. The North American species of *Holotrochus* Erichson (Coleoptera: Staphylinidae) with Descriptions of Two New Species. Proc. Entomol. Soc. Wash. 30:65-67.
- ERICHSON, W. F. 1839. Genera et species staphylinorum insectorum coleopterorum familiae (pt. 1) p. 1-400, Berlin. 1840. Ibid. (pt. 2) p. 401-954. Berlin.
- HATCH, MELVILLE. 1957. The beetles of the Pacific-Northwest. Part II: Staphyliniformia. Univ. Washington Publ. Biol. 16:1-384.
- LATREILLE, P. A. 1829. Le règne animal . . . par M. LeBaron Cuvier . . . , Tome IV: crustacés, arachnides et partie des insectes. 584 p. Paris.
- LECONTE, J. L. 1863. New species of Coleoptera, pt. I. Smithsonian Misc. Coll. 26 (pt. 4) 507:1-567.
- MOORE, IAN. 1964. A new key to the subfamilies of the Nearctic Staphylinidae and notes on their classification. Coleopt. Bull. 18:83-91.
- NOTMAN, HOWARD. 1925. A synoptic review of the beetles of the tribe *Osoriini* from the Western Hemisphere. Proc. U.S. Nat. Mus. 67:1-34.
- SAY, THOMAS. 1830. Descriptions of new species of North American insects and observations on some of the species already described. Diss. Usef. Knowl.



CAFIUS SULCICOLLIS LECONTE FROM
THE GULF OF CALIFORNIA
(COLEOPTERA: STAPHYLINIDAE)

IAN MOORE

Staff Research Associate,
University of California, Riverside, California 92502

Moore and Legner, 1973 (Pan-Pac. Ent. 49:279-280) gave speculations on the distribution of several species of *Cafius* in Baja California and reported *C. sulcicollis* LeConte from the Salton Sea. They said "It is unlikely that the species was introduced from the Gulf of California as no member of the genus is known from the northern part of the Gulf." We have recently seen 3 specimens of *C. sulcicollis* from Punta Chueca, (29.00°-112.05°) Sonora, Mexico, light trap on beach, 18-I-1974, Vincent Roth, and 44 specimens from Punta Cuevas, (29.42°-112.35°) Sonora, Mexico, crepuscular flight over intertidal zone, 24-25-IX-1973, Vincent Roth and W. Brown. It is possible that *C. sulcicollis* found its way to the Salton Sea from the Gulf of California.

